

Retail Pricing
Pricing subject to change without notice.

Cables - Cables

| Model | Description |
|--------|--|
| 9451 | 22 AWG stranded (7x30) TC conductors, polypropylene insulation, twisted pair, overall Beldfoil shield (100% coverage), 22 AWG stranded TC drain wire, PVC jacket. (1000') |
| 5300UE | Security & Commercial Audio Cable, Riser-CMR, 2-18 AWG stranded bare copper conductors with polyolefin insulation, PVC jacket with ripcord (1000') |
| 1800F | 24 AWG stranded (42x40) HC BC conductors, Datalene® insulation, conductors cabled with fillers, TC "French Braid" Shield (95% coverage), BC drain wire, PVC jacket. (1000') |
| 1319SB | CAT6 (250 MHz), 4 Pair, U/UTP-Unshielded, CMG-LS, Zero Halogen, Premise Horizontal Cable, 23 AWG Solid Bare Copper Conductors, Polyolefin Insulation, Patented Film Separator, Haloarrest® Inner LSZH Jacket, Ripcord, Haloarrest® Outer LSZH Jacket, RJ-45 Compatible (1000') |
| 1503A | 22 AWG stranded (7x30) TC conductors, PVC insulation, twisted pair, overall Beldfoil shield (100% coverage), 24 AWG stranded TC drain wire, PVC jacket. (1000') |
| 8782 | 24 AWG stranded (7x32) ETP high-conductivity copper conductors, PVC insulation, parallel: (1) Tinned, (1) Bare. (1000') |
| 1506A | 20 AWG solid .032" bare copper conductor, plenum, foam FEP insulation, Duofoil® + tinned copper braid shield (95% coverage), Flamarrest® jacket. (1000') |
| 1300SB | 24 AWG solid bare copper conductors, polypropylene insulation, overall Beldfoil® shield, 24 AWG stranded tinned copper drain wire, low smoke zero halogen jacket. (1000') |
| 9259 | 22 AWG stranded (7x30) .030" bare copper conductor, foam polyethylene insulation, bare copper braid shield (95% coverage), PVC jacket. (1000') |
| 1696A | 22 AWG stranded (7x30) TC conductors, Datalene® insulation, twisted pair with fillers, overall Beldfoil® + TC braid shield (90% coverage), 24 AWG drain wire, PVC jacket. (1000') |
| 1801B | Digital Audio Cable, Plenum-CMP, 1-24 AWG stranded tinned copper pair with foam FEP insulation, Beldfoil® shield, drain, Flamarrest® jacket (1000') |
| 1855P | 23 AWG solid .023" bare copper conductor, gas-injected foam FEP insulation, Duofoil® (100% coverage) plus a tinned copper braid shield (95% coverage), flexible Flamarrest® jacket. (1000') |
| 8412 | 20 AWG stranded (7x28) high-conductivity TC conductors, EPDM insulation, TC braid shield (85% coverage), EPDM jacket. (1000') |
| 1305A | Brilliance® Tactical 5e CatSnake® Patch Data Cable (100 MHz), 4 Bonded-Pair, U/UTP-Unshielded, 24 AWG Stranded Bare Copper Conductors, Polyolefin Insulation, Flexible PVC Inner Jacket, Flexible PVC Outer Jacket (1000') |
| 1502P | 22 AWG stranded (7x30) TC conductors, plenum, foam FEP insulation (data), STP w/Beldfoil®, 18 AWG (16x30) TC conductors unshielded, polypropylene binder tape, Flamarrest® insulation (power), Flamarrest® jacket. (1000') |
| 8241 | 23 AWG Solid .023" bare copper or bare copper-covered steel conductor, polyethylene insulation, bare copper braid shield (95% coverage), PVC jacket. (1000') |
| 1694F | 19 AWG stranded (7x27) bare copper conductor, gas-injected foam HDPE insulation, double tinned copper braid shield (95% coverage), PVC jacket. (1000') |
| 1505F | 22 AWG stranded (7x29) .031" bare compacted copper conductor, gas-injected foam HDPE insulation, tinned copper double braid shield (95% coverage), PVC jacket. (1000') |
| 1800B | 24 AWG stranded (7x32) tinned copper conductors, Datalene® insulation, twisted pairs, overall Beldfoil® shield (100% coverage), 24 AWG drain wire, PVC jacket. (1000') |
| 1502R | 22 AWG stranded (7x30) TC conductors, FPE insulation (data), STP (Data) w/Beldfoil®, TC drain wire, 18 AWG (16x30) TC conductors, unshielded (power) pair, F-R PVC insulation (power), F-R PVC Jacket (Available in Black, White, or Aqua) (1000') |
| 1695A | Low Loss Serial Digital Coax, Plenum-CMP, RG6 18 AWG solid bare copper conductor, foam FEP core, Duofoil®+95% tinned copper braid, Flamarrest® jacket (1000') |
| 1505A | 20 AWG solid .032" bare copper conductor, gas-injected foam HDPE insulation, Duofoil® + tinned copper braid shield (95% coverage), PVC jacket. (1000') |
| 9451P | 22 AWG stranded (7x30) TC conductors, twisted pair, FEP insulation, overall Beldfoil shield (100% coverage), 22 AWG stranded TC drain wire, Flamarrest® jacket. (1000') |
| 8451 | 22 AWG stranded (7x30) TC conductors, polypropylene insulation, paper wrap, twisted pair, overall Beldfoil shield (100% coverage), 22 AWG stranded TC drain wire, PVC jacket. (1000') |
| 1855A | 23 AWG solid .023" bare copper conductor, gas-injected foam HDPE insulation, Duofoil® + tinned copper braid shield (95% coverage), PVC jacket. (1000') |

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

| Model | Description |
|--|---|
| 1694A | RG-6/U Type, 18 AWG solid .040" bare copper conductor, gas-injected foam HDPE insulation, Duofoil® + tinned copper braid shield (95% coverage), PVC jacket. (1000') |
| 5200UE | Security & Commercial Audio Cable, Riser-CMR, 2-16 AWG stranded bare copper conductors with polyolefin insulation, PVC jacket with ripcord (1000') |
| 6500FE | Security & Commercial Audio Cable, Plenum-CMP, 2-22 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 5200FE | Security & Commercial Audio Cable, Riser-CMR, 2-16 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 5100UE | Security & Commercial Audio Cable, Riser-CL3R-FPLR 2-14 AWG stranded bare copper conductors with polyolefin insulation, PVC jacket with ripcord (1000') |
| 5301FE | Security & Commercial Audio Cable, Riser-CMR, 3-18 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 5000UE | Security & Commercial Audio Cable, Riser-CL3R-FPLR 2-12 AWG stranded bare copper conductors with polyolefin insulation, PVC jacket with ripcord (1000') |
| 6500UE | Security & Commercial Audio Cable, Plenum-CMP 2-22 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |
| 6T00UP | Commercial Audio Cable, Rated-CL2P, 2-10 AWG highly flexible stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |
| 5301UE | Security & Commercial Audio Cable, Riser-CMR, 3-18 AWG stranded bare copper conductors with polyolefin insulation, PVC jacket with ripcord (1000') |
| 5100FE | Security & Commercial Audio Cable, Riser-CL3R-FPLR, 2-14 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 5300FE | Security & Commercial Audio Cable, Riser-CMR, 2-18 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 6502FE | Security & Alarm Cable, Plenum-CMP, 4-22 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 6504FE | Security & Alarm Cable, Plenum-CMP, 6-22 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 9451P1010 | Belden 9451P Audio cable plenum CMP 1-22AWG 10ft coil |
| 9451P2510 | Belden 9451P Audio cable plenum CMP 1-22AWG 25ft coil |
| 9451P5010 | Belden 9451P Audio cable plenum CMP 1-22AWG 50ft coil |
| 9451P10010 | Belden 9451P Audio cable plenum CMP 1-22AWG 100ft coil |
| 9451-U500-10 | 22 AWG stranded (7x30) TC conductors, polypropylene insulation, twisted pair, overall Beldfoil shield (100% coverage), 22 AWG stranded TC drain wire, PVC jacket. (500') |
| 202022J10 **NEW** Order SKU #202022J10/BELD | Belden CAT 5e Modular Plugs for 1213F Series Cable (10 count) |
| 202022J25 **NEW** Order SKU #202022J25/BELD | Belden CAT 5e Modular Plugs for 1213F Series Cable (25 count) |
| 202022J50 | Belden CAT 5e Modular Plugs for 1213F Series Cable (50 count) |
| 323-011-1801-B **NEW** | 18-1P STR TNC PVC PVC JKT 105C 300V CC: BLK/RED UL PLTC OR ITC(1000') |
| 6100UE | Security & Commercial Audio Cable, Plenum-CL2P 2-14 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |
| 6000UE | Security & Commercial Audio Cable, Plenum-CL2P 2-12 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |
| 5500FE | Security & Alarm Cable, Riser-CMR, 2-22 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 5500UE | Security & Commercial Audio Cable, Riser-CMR, 2-22 AWG stranded bare copper conductors with polyolefin insulation, PVC jacket with ripcord (1000') |
| 5400FE | Security & Commercial Audio Cable, Riser-CMR, 2-20 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 5501FE | Security & Commercial Audio Cable, Riser-CMR, 3-22 AWG stranded bare copper conductors with polyolefin insulation, Beldfoil® shield and PVC jacket with ripcord (1000') |
| 6200UE | Security & Commercial Audio Cable, Plenum-CMP 2-16 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

| Model | Description |
|--------|---|
| 6300UE | Security & Commercial Audio Cable, Plenum-CMP 2-18 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |
| 6300FE | Security & Commercial Audio Cable, Plenum-CMP, 2-18 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 6200FE | Security & Commercial Audio Cable, Plenum-CMP, 2-16 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 6301UE | Security & Commercial Audio Cable, Plenum-CMP 3-18 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord (1000') |
| 6301FE | Security & Commercial Audio Cable, Plenum-CMP, 3-18 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 6400FE | Security & Commercial Audio Cable, Plenum-CMP, 2-20 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |
| 6302FE | Security & Alarm Cable, Plenum-CMP, 4-18 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord (1000') |

Power Distribution - Rack Mount Uninterruptible Power Manager

| Model | Description |
|---------------|---|
| 6200UE-250-10 | 16G Plenum, 2-Conductor Speaker Cable (Black, 250') |

Cables - Cables

| Model | Description |
|-------------|---|
| 6200UE10010 | Belden 6200UE Speaker cable 16/2C plenum 100ft roll |
| 6200UE50010 | Belden 6200UE Speaker cable 16/2C plenum 500ft roll |